

New Product Introduction

VK950 – COIN® Quick Response Specific Application Sprinkler for Combustible Interstitial Spaces



New Product Introduction

- Introducing the new COIN® (COmubstible INterstitial) Model VK950 Quick Response Specific Application Sprinkler.
- Improved coverage area for interstitial (concealed) spaces like those found between floors and in low pitch attics (roof pitches up to and including 2/12).
- The 16' x 16' coverage and 60" maximum depth is a significant increase over our existing COIN® VK900.
- Opens new sales opportunities in applications requiring greater coverage.



Applications

- Interstitial spaces between floors and in low pitch attics.
- cULus Listed for use in specific light hazard combustible as well as non-combustible concealed spaces requiring sprinkler protection as outlined in NFPA 13.
- Designed to protect areas constructed of wood truss, non-combustible bar joist, solid wood joists, or composite wood joists.
- Can be installed in both CPVC and steel wet pipe sprinkler systems.
- Can also be used in dry sprinkler systems when using steel pipe.



Benefits

- Increased 16' x 16' coverage area compared to existing Viking COIN VK900 of 12' x 12'.
- Can reduce number of required branch lines and allow for fewer sprinklers when compared to systems designed with standard sprinklers.



VK900

Max space height – 36"
Max coverage area – 144 sq ft
Brass finish only
175°F (79°C)



VK950

Max space height – 60"
Max coverage area – 256 sq ft
Brass and ENT
200°F (93°C)

Thank You



FIREQUIP®
CC

Tel: (011) 396-1800/1/2

Email: alison@firequip.co.za
wade@firequip.co.za

Website: www.firequip.co.za